

Relevant options for printing to PostScript for Prinergy

Use the following settings when printing QuarkXPress files to PostScript for Prinergy.

Device Options	
PPD	Prinergy Refiner PPD
Paper Size	Custom as desired
Resolution	2400 dpi
Color Options	
Mode	Composite
Setup	As is See notes on Color Recommendations.

Picture Options	
Output	Normal
Full resolution TIFF output	ON
Resolution	2400 dpi
Font Options	
Select All	ON

Note: We recommend that you always include or embed fonts in the PostScript files.

Registration Marks Options	
Mode	Centered
Width and Height	As desired

Note: Include registration marks when preparing your PostScript files. Select either **Centered** or **Off Center**. These marks will automatically be applied when the file is refined. You will be able to view and modify the settings using Prinergy's Geometry Editor plug-in to Adobe Acrobat and the Set Page Geometry dialog box.

Layer Options	
Select All	ON
Transparency Options	

Ignore Transparency Flattening	ON
--------------------------------	-----------

OPI Options	
OPI Active	OFF for hi-res output ON for lo-res output. Set Tiff Options and EPS Options as OFF. (Don't include images.) ON for image proxy output. Set Tiff Options and EPS Options as ON. (Include images.)
Advanced Options	
PostScript Level	Level 3