

# Kodak JDF extensions for job creation

Use Kodak extensions at the prepress process group level to control the job-creation options that Prinergy applies. Kodak extensions for Business Link start with *s/*: and they are all optional.

## Elements/Attributes for `sl:CreoSynapseJobCreate`

Element/Attribute	Format	Description and usage
<b>@JobGroup</b>	String	<ul style="list-style-type: none"> <li>The name of the job group in which the new job should be created on the Prinergy server.</li> <li>If the specified group does not already exist on the target system, it is created.</li> <li>Multiple subgroups can be specified by using the pipe symbol.</li> <li>The maximum length of each specified job group is 31 characters. Example: <code>JobGroup="New Jobs   2006   January"</code></li> </ul>
<b>@JobVolume</b>	URL	<ul style="list-style-type: none"> <li>Path to the job-share on which the new job should be created.</li> <li>This folder name must be a valid Prinergy share on a known secondary or tertiary server as configured through Prinergy Administrator.</li> </ul>
<b>@TemplateJobName</b>	String	<ul style="list-style-type: none"> <li>The exact name of an existing Prinergy job to be used as a template in creating the new job.</li> <li>By default, all inheritable options of this template job are used when creating the new job.</li> </ul>
<b>@WebEnable</b>	Boolean	<p>Indicates whether this job should be Web-enabled to permit customer access via InSite.</p> <p>A value of <code>True</code> is effective only if all of these points apply:</p> <ul style="list-style-type: none"> <li>InSite is installed and connected to the target prepress system.</li> <li>The specified CustomerID was previously mapped to an InSite customer account in the <b>Prepress Customer Name</b> column on the Administration Client <b>Customer Mapping</b> tab.</li> </ul>

## Elements/Attributes for `\sl:CreoSynapseJobCreate` and `\sl:APAFile`

Advanced Production Automation (APA) files are used to automate the assignment of pages to run-list positions in the Prinergy workflow. If a file URL is supplied in this field, Business Link copies that file into the appropriate subfolder of the Prinergy job.

Element /Attribute	Format	Description and usage
--------------------	--------	-----------------------

@ID		
@Status	Available	
@Class	Parameter	
@URL	URL	<p>File location of the APA file.</p> <p>Example of a local path: file:\\c:  \lib\apafile\4pageCatalogAPAfile.apa</p> <p>Example of a remote path: file:\\YCS1234-  567\Fileshare\4pageCatalogAPAfile.apa</p>