

List of variable marks used

List of variable marks

The following table lists, in alphabetical order, all valid variable marks and the type of information they represent. Variable marks are not case-sensitive.

If height is not specified, it defaults to the height of the text in the original mark. If dimensions is not specified, it defaults to 40x40.

Tip: For DataMatrixSurface barcodes that are populated with custom field data, you can use regular Prinergy variable text to populate the barcode.
For example, if you have a Prinergy job named 12345_My PrintJob and you populate \$[compound_%Jobname<5>_%Sig%] into the surface custom field for the DataMatrixSurface barcode, the result, when scanned, is 12345 1 when you output Signature 1 of that job. You can use other variables to produce different results.

Note: For ColorFlow variable marks used in Prinergy, see the *ColorFlow variable marks in Prinergy* topic in the *ColorFlow User Guide*.

Variable Mark	Mark Type
\$[Angle]	Page,
\$[BarcodeCode128BSeparation]	Sheet

<code>\$(Barcode128BPage)</code>	Page
<code>\$(BarcodeCode39Separation)</code>	Sheet
<code>\$(BarcodeI2of5Page)</code>	Page
<code>\$(CalCurve)</code>	Sheet

\$(Code128CustomFont]

Sheet

\$(Color]
\$(Colour]

Page,

\$(ColorCodesPage]
\$(CCP]

Page

\$(ColorSetupName]

Page,
Sheet

\$[ColorsOnPage]
 \$[ColoursOnPage]

Page

\$[ColorsOnSurface]

Sheet

<code>\$(Compound)</code>	Page,
Custom Field Marks: <code>\$(CustomFieldJob)</code> <code>\$(CustomFieldPageset), \$(CFPS)</code> <code>\$(CustomFieldPage), \$(CFPG)</code> <code>\$(CustomFieldPagePosition), \$(CFPGPOS)</code> <code>\$(CustomFieldImposition), \$(CFIMPO)</code> <code>\$(CustomFieldSignature), \$(CFSIG)</code> <code>\$(CustomFieldSurface), \$(CFSRF)</code> <code>\$(CustomFieldSeparation), \$(CFSEP)</code>	Page
<code>\$(Customer)</code>	Page, Sheet, Section (Imposition)

<code>\$(Datamatrix_A_#)</code>	Sheet
<code>\$(Datamatrix_B_#)</code>	Sheet
<code>\$(DataMatrixPage_PageCustomField_Height_Dimensions)</code>	Page

\$(DataMatrixSurface_CustomFieldName_##)

\$(DataMatrixSurface_CustomFieldName_##_Dimensions)

Sheet

\$(Date)	Sheet
\$(Device)	Sheet
\$(DeviceConditionName)	Page, Sheet
\$(DeviceName)	Page, Sheet
\$(DeviceSerialNumber)	Sheet

<code>\$(DotShape)</code>	Sheet
<code>\$(FMPattern)</code> <code>\$(FMPattern_offset)</code>	Sheet
<code>\$(I2of5Checksum)</code>	Page,
<code>\$(ICCPProfile)</code>	Page,
<code>\$(ImpBleedSizeX)</code>	Sheet
<code>\$(ImpBleedSizeY)</code>	Sheet
<code>\$(ImpPlanName)</code>	Sheet
<code>\$(ImpTrimSizeX)</code>	Sheet
<code>\$(ImpTrimSizeY)</code>	Sheet
<code>\$(InkEater_<minx>_<miny>_<maxX>_<maxY>_<minDensity>_<maxSaturation_colors>]</code>	Sheet
<code>\$(Jobcode)</code>	Sheet
<code>\$(Jobname)</code>	Sheet

<code>[\$[LayoutDisplayName]</code>	Page, Sheet, Section (Imposition)
<code>[\$[LinkedPageNames]</code>	Page,
<code>[\$[LinkedPageNames_Base]</code>	Page,
<code>[\$[Linked Page names_NotBase]</code>	Page,
<code>[\$[MappedPrintingColors]</code> <code>[\$[MappedPrintingColours]</code>	Sheet
<code>[\$[MarksFileDate]</code>	Sheet
<code>[\$[MarksFileTime]</code>	Sheet
<code>[\$[Medium]</code>	Sheet
<code>[\$[OutputComment]</code>	Page,

<code>\$(OutputDate), \$(Date)</code>	Sheet
<code>\$(OutputMode)</code>	Page,
<code>\$(OutputMonthYear)</code>	Sheet
<code>\$(OutputTime), \$(Time)</code>	Sheet
<code>\$(OutputVersionName)</code>	Page,

<code>\$(PageScaleY)</code>	Page
<code>\$(PageSetName)</code>	Page
<code>\$(PageTrimSizeX), \$(PageTrimX), \$(PTX)</code>	Page
<code>\$(PageTrimSizeY), \$(PageTrimY), \$(PTY)</code>	Page
<code>\$(PartName)</code>	Sheet
<code>\$(PartType)</code>	Sheet
<code>\$(PlateCalCurve), \$(PlateCurve)</code>	Sheet
<code>\$(PlateID)</code>	Sheet
<code>\$(PlateLineName)</code>	Page, Sheet
<code>\$(PlateSetupName)</code>	Page, Sheet
<code>\$(PositionName)</code>	Page
<code>\$(PositionNumber)</code>	Page
<code>\$(PressName)</code>	Page, Sheet, Section (Imposition)
<code>\$(PrintCurve)</code>	Page, Sheet
<code>\$(PrintingOrder)</code>	Sheet

<code>\$(ProcessPlanName)</code> <code>\$(ProcessTemplateName)</code>	Sheet
<code>\$(ProductLayoutIndex)</code>	Page, Sheet, Section (Impo
<code>\$(ProductName)</code>	Sheet
<code>\$(ResolutionX)</code>, <code>\$(RX)</code>	Sheet
<code>\$(ResolutionY)</code>, <code>\$(RY)</code>	Sheet
<code>\$(RIP)</code>	Sheet
Scaling Factor Marks	Page,
<code>\$(Scenario)</code>	Page, Sheet, Section (Impo
<code>\$(ScreenRuling)</code>, <code>\$(SR)</code>	Sheet
<code>\$(ScreenSystem)</code>	Sheet

<code>\$(Section)</code>	Section (Impo
<code>\$(SectionPartName)</code>	Section (Impo
<code>\$(SectionPartType)</code>	Section (Impo
<code>\$(SectionProductName)</code>	Section (Impo
<code>\$(Sheet)</code>	Sheet
<code>\$(SheetSection)</code>	Sheet
<code>\$(Signature), \$(SIG)</code>	Sheet
<code>\$(SignatureID)</code>	Page,
<code>\$(SignatureID_<n>)</code>	Page,
<code>\$(SnapshotNumber)</code>	Page, Sheet
<code>\$(Substrate)</code>	Page, Sheet, Section (Impo
<code>\$(SurfaceID), \$(SID)</code>	Sheet
<code>\$(SurfaceLetter), \$(SL)</code>	Sheet

<code>\$(SurfaceName), \$(SN)</code>	Sheet
<code>\$(Time)</code>	Sheet
<code>\$(UnmappedColorsOnSurface)</code> <code>\$(UnmappedColoursOnSurface)</code>	Sheet
<code>\$(Username)</code>	Sheet
<code>\$(VMResolution)</code>	Sheet
<code>\$(WebGrowthExpansionX), \$(WGEX)</code> <code>\$(WebGrowthExpansionY), \$(WGEY)</code>	Sheet
<code>\$(WebGrowthProfile)</code>	Sheet
<code>\$(WebGrowthTowerID), \$(WGTID)</code>	Sheet
<code>\$(Workstyle)</code>	Sheet