Setting Integrated Preps preferences

Edit the PrepsPrinergy.cfg.template file on the Prinergy server in order to set preferences for Preps on all clients.

Tip: You can determine what attributes the lines in the file control by experimenting on the PrepsPrinergy.cfg that is on the client. Once you determine exactly how to make the desired changes, modify the PrepsPrinergy.cfg.template on the server to affect Preps on all clients.

1. On the Prinergy server, navigate to the file

AraxiPreps\Profiles\PrepsPrinergy\PrepsPrinergy.cfg.template.

Tip: Before you modify the file, you may want to make a copy of the original, naming it PrepsPrinergy.cfg.template.original.

Location of the client PrepsPrinergy.cfg:

- Macintosh: Applications\Kodak\Prinergy\AraxiPreps\Profiles\PrepsPrinergy
- Windows: Program Files\Kodak\Prinergy\AraxiPreps\Profiles\PrepsPrinergy
- 2. Edit the file as appropriate:

If you want to	Then
Set the default unit of measurement to millimetres	Search for the string -UNITS: and replace the number after the colon (:) with 3 . For example: -UNITS:3
Set the default job to be PDF > PDF	Search for the string -DEFAULT_JOB_KIND: and replace the number after the colon (:) with 2 . For example: -DEFAULT_JOB_KIND:2
Set the punch mark on by default	Search for the string -PUNCHMARK: and replace the number after the colon (:) with YES . For example: -PUNCHMARK:YES