"Bring to Front" for overlapped marks

To ensure that the correct mark is printed on top of the others, you need to know the default layer sequence that the software applies.

When placing marks individually, they are placed on top or on the bottom, depending on the **Marks Place Order** Marks preference setting.

If you overlap marks on a press-run layout, the **Bring to Front** option gives you some control over which mark is to print on top. However, if you place a mark group, you are adding several SmartMarks at once, all of which might be set to **Bring to Front**.

When you add individual SmartMarks that overlap:

- The first mark becomes either the top-most or bottom-most mark, depending on the **Marks Place Order** preference setting.
- Each subsequent mark that you add will either be on top of the previous mark or at the bottom.

When you create and import a SmartMarks group:

- Marks in a group are added in ascending order, sorted by file name.
- The first mark added to the press sheet has the lowest file name, and the rest of the marks are added after. The first mark becomes either the top-most or bottom-most mark, depending on the **Marks Place Order** preference setting.

The easiest way to control the layering is by adding numbers to the mark file names.

For example, in this SmartMarks group, when the **Marks Place Order** preference is set to **First On Top**, the **1_colorbar** mark is the highest mark and **3_text** mark is the lowest. In this case **1_colorbar** will be covering the other marks in the group:

- 1_colorbar
- 2_crop
- 3_text

| É Preps 8 File Edit Job Objects View Resources | Window Help 🚯 💿 😨 🔥 » 间 🖑 🚹 🔨 📿 🤌 🕅 奈 🔽 ┥ 100% 🗺 🚟 British Wed 17:5 | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|
| Preps 8 - Untitled-1.job | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| ▼ Products | Pages Assembly Press Runs | | | | | | | | | | | | |
| Ver New Product(A), 2pp | Ma | | | | | | | | | | | | |
| ▼ ()_ Part, 2pp | | | | | | | | | | | | | |
| Section 1, 2pp | | | | | | | | | | | | | |
| | 585 564 Imi | | | | | | | | | | | | |
| | 984 987 | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | 982 Rol 981 0 0 | | | | | | | | | | | | |
| ▼ Files | 580 Siz | | | | | | | | | | | | |
| File Name Count Pages Trim (mm) | 579 | | | | | | | | | | | | |
| | 56 | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | ទ// Du នាទី ទ/ទី | | | | | | | | | | | | |
| | 575 | | | | | | | | | | | | |
| | 571 T | | | | | | | | | | | | |
| + - | 572 | | | | | | | | | | | | |
| ▼ Resources | 51 | | | | | | | | | | | | |
| Media | 570 | | | | | | | | | | | | |
| 5 Stock | | | | | | | | | | | | | |
| Marks | Preferences | | | | | | | | | | | | |
| DATE | | | | | | | | | | | | | |
| 🔄 Folio | Profile Name: Default C Save Profile | | | | | | | | | | | | |
| ► Gutters ▼ + mark_order | General Folders JDF Marks Output AutoGang Rulers & Guides Stock Step&Repeat Report An | | | | | | | | | | | | |
| ∲ 1_colorbar | P P | | | | | | | | | | | | |
| | Defaults | | | | | | | | | | | | |
| ⊕ 3_text | Rectangle Mark Width: 6 mm Crop Mark Length: 7 mm | | | | | | | | | | | | |
| mixed collation Imposition | | | | | | | | | | | | | |
| | Rectangle Mark Height: 6 mm Line Width: 0.088 mm Ma | | | | | | | | | | | | |
| ► + Sample Group | Crop Mark Distance: 3 mm Fold Mark Length: 6 mm | | | | | | | | | | | | |
| 🔶 Tira | | | | | | | | | | | | | |
| ▶ [+ Tutorial_old | Marks Place Order | | | | | | | | | | | | |
| Carl Layouts | First On Top | | | | | | | | | | | | |
| AutoGang | Last On Top | | | | | | | | | | | | |

If the **Marks Place Order** preference is set to **Last On Top**, you will invert the order and the **1_colorbar** mark will be the lowest mark and **3_text** mark will be the highest. In this case **3_text** will be covering the other marks in the group.

- 3_text
- 2_crop
- 1_colorbar

| ×. | Preps 8 | File | Edit | Job | Objects | View | Resources | Window | Help | 5 (3) | V | ^> >>> |) 🖹 🐇 | <u>د</u> | 1 (| 0 \$ | • | | ◀ 1 | 00% 🕅 🕴 |
|------------|----------------------|--------------------------|-------|-------|---------|------|-----------|------------|-------------|-------------|----------|------------------|----------|--------------|------------|---------|-------------|----------|--------|-------------|
| • • | 0 | Preps 8 - Untitled-1.job | | | | | | | | | | | | | | | | | | |
| - 0 | roducts | | | | | | | | | | | | | | | | | | | |
| | New Produc | +(A) 2 | - | | | | | | | | | Pa | ges | Assemb | oly P | ress Ru | ns | | | |
| - | 🕕 Part, 2pp | | PP | | | | | | | m o | | | | | . | -11-1 | a 🗖 | | _ | |
| L., | 🔁 Se | ction 1 | , 2pp | | | | | k R | : 🗐 📄 | | 60 | | e | | ¢ | | | 71 | 5 | <u>۰۰۰۰</u> |
| | | | | | | | | 585 | | | | | | | | | | | | |
| | | | | | | | | 584 583 | | | | | | | | | | | | |
| | | | | | | | | 582 | | | | | | | | | | | | |
| + | | | | 0 | | | | 581 | | | | | | | | | _ | | | |
| ₹ F | | | | | | | | 580 | | | | | | | | | | | | |
| | File Nan | ne | | Count | Pages | 1 | frim (mm) | 579 578 | | | | | | | | | | | | |
| | | | | | | | | 577 | | | | | | | | | | | | |
| | | | | | | | | 576 | | | | | | | | | | | | |
| | | | | | | | | 575 574 | | | | | | | | | | | | _ |
| | | - | - | - | | - | | 573 | | | | | | - | | | | | | |
| + | - | | | | | | | 572 | | | | | | | • | | ▰ | - | | _ |
| T R | esources | | | 0 | | | 0 | 571 570 | | | | | | | - | | - | | | |
| | Media | | | | | | | 5/0 | | | | | | _ | | | | | | |
| _ | Stock | | | | | | | 548 | | | | | | | Prefere | | | | | |
| | Marks | | | | | | _ | 567 | | | | | | | Preiere | ences | | | | |
| U | mark_order | | | | | | | 566 | | Profile | Name: | Defau | ult | | | 0 | Save I | Profile. | | |
| | 2_crop | | | | | | | | General | Folders | JDF | Marks | Outp | out 4 | AutoGar | na Ri | ulers & Gui | des | Stock | Stepℜ |
| | 🔄 3_text | | | | | | | | | T Older 5 | 501 | Marks | out | <i>Juc 7</i> | utoou | ig in | | 405 | 0100 | oropant |
| | mixed colla | | n | | | | | Pre | Defaults | | | | | | | | | | | |
| ▶ 0 | + Page Trimb | oxes | | | | | | E | Rectang | gle Mark Wi | dth: | 6 mm | |] | | | Crop N | lark Le | ngth: | 7 mm |
| | Sample Gro | pup | | | | | | Pr | Rectang | le Mark Hei | aht: | 6 mm | | | | | | Line V | /idth: | 0.088 mm |
| | Tira Tutorial_olo | | | | | | | | | | | 2 | | | | | Cold N | | | |
| | Untitled_Cr | ор | | | | | | | Crop | Mark Dista | nce: | 3 mm | | | | | Fold N | | ngth: | 0 mm |
| | variable tex WST | ¢t | | | | | | | Marks Place | e Order | | | | | | | | | | |
| - | Layouts | | | | | | | | O First | On Top | | | | | | | | | | |
| | AutoGang | | | | | | | | 💽 Last (| On Top | | | | | | | | | | |
| | | | | | | | | | Taxt Marks | | | | | | | | | | | |

If any individual SmartMarks are added after this group is placed, they are placed on top or on the bottom, depending on the **Marks Place Order** preference setting.

Changing the **Marks Place Order** preference will affect only the marks and mark groups that are added to the Press Run after the preference has been changed.