

New Features in Prinergy Workflow 9.5

PRINERGY-52704	APPE: 5.7 Rip update
PRINERGY-52345	APPE: Option for Fine Line Rendering
PRINERGY-41504	APPE: Option to set display list caching in PrinterEx JTP
PRINERGY-51830	Custom Fields: Add Refine PT option to maintain page Custom Fields after a re-refine
PRINERGY-52631	Digital: Canon Request - Change determination of MPM Capable PRISMASync Device
PRINERGY-52412	Digital: Ricoh - Add Virtual Printer feature in JTE
PRINERGY-39528	Digital: Kodak Galil JDF/JMF Bi-directional Communication from Workshop
PRINERGY-35988	Digital: Setup Add Kodak 900 Print Manager to the list of Managed Connections in Setup
PRINERGY-52458	Digital: Galil - Add Print Area for Roll-to-Roll Press in JTE
PRINERGY-52466	Digital: Enhance internal JDF simulator to support Galil
PRINERGY-52472	Digital: UJTE: Support JDF generation and send to DFE for Galil
PRINERGY-52469	Digital: Digital Automation for Galil
PRINERGY-51114	LPV: Add ability to create version plan from Excel input
PRINERGY-44028	LPV: Version plan status at the page level
PRINERGY-52567	LPV: Apply CP Geometry setting Scale and Orientation to VP
PRINERGY-52633	LPV: Add option to restrict output of Versions that are Rejected
PRINERGY-24464	LPV: Generate Version Action always Generates all pages and set Approval does not work on VP's

PRINERGY-52812	PDF Output Intent: Refine honors, preserves and updates Output Intent
PRINERGY-52771	PDF Output Intent: Vector PDF Output preserves Output Intent
PRINERGY-52488	Preflight+: Integrate new version of Callas engine
PRINERGY-52421	Screening: When Maxtone SX highlight size set to "None", Highlight Smoothing is Deselected (Off).
PRINERGY-52060	Screening: Control angle coordinates of document screen angles (see Feature Notes below)
PRINERGY-41934	Screening: Write Flexcel NX Tags into headers of TIFF and VPS output
PRINERGY-48514	Screening: Support Staccato at 4000 and 5080 resolutions
PRINERGY-36363	Screening: ColorFlow Curve Source selection for Copydot Calibration
PRINERGY-52082	Systems: Add <i>SentinelOne</i> antivirus to the list of qualified antivirus software
PRINERGY-27618	Visible Columns: Page Labels based on section numbering to simplify page assignment (see Feature Notes below)

New Feature Notes:

[About Output Intent...](#)

Visible Columns: Page Labels

It can be difficult to determine which page set positions to assign Refined pages to, because Prinergy always numbers the first page of Refined input files as “.p1”. **Page Labels** allow you to easily identify pages based on unique section numbering created in InDesign, or other creative applications.

The unique section numbers are displayed in the new **Page Labels** column in Workshop **Pages** panes, and can identify whether pages belong to covers, appendices or other sections, and which page set position a specific page should be assigned to. Example **Page Labels** for covers could be *Covers-1*, *Covers-2*, *Covers-3* and *Covers-4*, and Appendix pages could be numbered with roman numerals such as i, ii, iii..., or letters A, B, C, D... Additionally, Page Labels can identify whether a file should be positioned to start a second or third section, by having **Page Labels** starting with 17, or 33, rather than the standard Prinergy “.p1” number.

Using Page Labels in Prinergy Workshop:

- There is a new **Page Labels column** in the **Pages** panes under the **Pages** and **Signature** tabs in Workshop. The **Page Labels column** supports sorting.
- The new **variable mark** **[\$[PageLabels]** can be placed in Preps, Pandora, and PLA, or used in **Slugline** output under Loose Page output templates.
- The new **naming variable** **%PageLabels%** can be used for **Custom File Naming** or as a **Device Path** variable in Loose Page output templates.

Screening: Control angle coordinates of document screen angles

Up until Prinergy 9.5, embedded document screen angles were always interpreted as "PostScript angles", causing confusion when trying to match document screening and Prinergy Process Template screening. For instance, a document screen angle of 15° was always interpreted as PostScript 15°, rather than Prinergy 15°. and the resulting output was the same as Prinergy 75° – which would not match a 15° angle specified in Prinergy Process Templates.

Users now can now choose to use the Prinergy angle coordinate system for all document screening, and document screening angles can now align with Prinergy Process Template angles.

Screening: Write Flexcel NX Tags into headers of TIFF and VPS output

If **XMP tags** for **Printing Method** and Distortion (**VShrink** and **HShrink**) have been written into input PDFs by upstream creative applications, the tags will be transferred into 1-bit output and can then be automatically applied when processed by Miraclon TIFF Assembler Plus (TAP). Flexcel NX tags can be used to automatically apply DigiCap NX, HyperFlex NX and dot enlargement, in addition to Shrink Distortion.

Note: Most New Features in the table above are self-explanatory or have additional information in the User Guide, so they are not elaborated on in the notes section