

Hardware and software requirements

Effective **June 1st, 2026**, Kodak will discontinue all hardware sales related to the Software business due to vendor constraints.

Moving forward, Kodak will provide service and support for **VOE (Virtual Operating Environment) configurations ONLY**. This means all new installations of our Workflow Software will not be installed natively on the server hardware itself.

Customers should leverage regional hardware providers to purchase any WINDOWS Server that meets the specifications outlined in the VOE Planning Guide (KA12807).

Customer-purchased hardware must comply with the following requirements that are outlined in the VOE Planning Guide (KA12807).

- **Host hardware requirements**
- **Host hypervisor requirements**
- **VM requirements**

While customers must purchase servers separately, guidelines and materials are available to support the buying needs of Kodak customers and optimize performance.

During the transition, please contact local Kodak Workflow Sales support for questions about server configurations or the VOE Planning Guide.

Virtual environments

INSITE Prepress Portal is qualified on the following virtual platforms:

Note: Intel and AMD CPUs are qualified in Kodak Virtual Operating Environment installations (VMWare and Hyper-V)

Important: For VOE (Virtual Operating Environment), Kodak does not provide the license for Microsoft operating system. The licenses can be purchased through a Microsoft reseller of your choice.

VMWare Vsphere:	Notes
7.0 and up	Qualified. VMWare vSphere/ESXi 7.x and 8.x are required in order to continue to receive support from VMWare.

Hyper-V:	Notes
2019	Qualified
2022	Qualified

Note: A minimum of 16 GB of RAM and 146/160 GB (platform dependent) system disk are highly recommended for Windows 2019. A minimum of 32 GB of RAM and 250 GB system disk are highly recommended for Windows 2022. You may check the total current usage of all the running processes of your system and then add 4 GB on top of it. This total may be the amount of RAM to have to sufficiently run the system. Your configuration and other factors may still affect the overall performance, and the system may require more disk space or RAM.

Kodak Managed Services	Notes
2019	Qualified
2022	Qualified

Note: Windows OS licensing is included in the KMS environment.

Note: PressProof is not supported in the KMS environment. See [Known problems and limitations](#) for more information.

Qualified servers

INSITE Prepress Portal 11.6 requires Microsoft Windows Server 2019 Standard, or Windows Server 2022 Standard on one of the following Dell platforms:

Windows 2019 Standard or Windows 2022 Standard

Generation 15/16 Premium and High-Performance Servers • Dell PE T550/R550 • Dell PE T560 • Dell PE R760XS	Generation 15/16 Performance Plus Servers • Dell PE T350 • Dell PE T360
---	---

Note: A minimum of 16 GB of RAM and 146/160 GB (platform dependent) system disk are highly recommended for Windows 2019. A minimum of 32 GB of RAM and 250 GB system disk are highly recommended for Windows 2022. You may check the total current usage of all the running processes of your system and then add 4 GB on top of it. This total may be the amount of RAM to have to sufficiently run the system. Your configuration and other factors may still affect the overall performance, and the system may require more disk space or RAM.

Rendering engine sizing

Platform	Max Number of Rendering Engines	Comments
T350 Performance Plus	2	

T360 Performance Plus	2	
T550/R550 Premium and High-Performance	14	
T560 Premium and High-Performance	22	
R760XS Premium and High-Performance	22	
KVOE virtual appliances (VMware and Hyper-V)	$n - 2$	Number of vCPUs assigned to the VM minus 2 = total number of rendering engines that can be used on the appliance. For example: If there are 4 vCPUs, you can use 2 rendering engines. 8 vCPUs = 6 rendering engines, etc. VMWare and Hyper-V license limits are usually the limiting factor. "

Note: Maximum number of rendering engines is defined by the hardware platform and workflow licensing, not by the version of the workflow software.

Important: These are guidelines only. While they are accurate for most installations, individual workflow and file type variations and/or bandwidth limitations may limit the maximum number of renderers to fewer than the listed maximums.

Qualified Kodak workflow software

Kodak Software	Versions compatible with INSITE Prepress Portal 11.6
Prinergy Workflow	Prinergy Workflow 11.5 and later
Prinergy Workflow Packaging Automation Expansion Pack	Prinergy Workflow Packaging Automation Expansion Pack 11.5 and later
INSITE Creative Workflow	INSITE Creative Workflow 11.6
Matchprint Virtual	Matchprint Virtual 11.6

Prinergy RIP as Default Render for IPP

If you decide to use Prinergy as the default renderer for IPP, then no rendering will occur on the INSITE Server, and so your limitations for rendering apply on the Prinergy server. For more information on JTP specifications, consult your Kodak Technical Sales specialist. We recommend that you have an equal amount of INSITE Renderers for the amount of Proof JTPs that you plan to use in Prinergy.

Qualified proxy servers

Prepress Portal accepts proxy servers that use the CERN proxy protocol. For more information about proxy servers, see the *INSITE Client Configuration*.

Qualified DMZ configurations

If a DMZ configuration is required, it must be purchased from Kodak. Other DMZ configurations are not supported.

Qualified client computers

For complete information about the supported operating systems and browser software versions for client computers, see the [INSITE Client Configuration](#).